=> d his

(FILE 'HOME' ENTERED AT 16:24:19 ON 06 OCT 2004)

FILE 'HCAPLUS' ENTERED AT 16:24:25 ON 06 OCT 2004 L1 1 US20030040030/PN

FILE 'REGISTRY' ENTERED AT 16:25:05 ON 06 OCT 2004

FILE 'HCAPLUS' ENTERED AT 16:25:15 ON 06 OCT 2004
L2 TRA L1 1- RN : 19 TERMS

FILE 'REGISTRY' ENTERED AT 16:25:15 ON 06 OCT 2004 L3 19 SEA L2

FILE 'WPIX' ENTERED AT 16:25:19 ON 06 OCT 2004 L4 1 US20030040030/PN

=> b hcap FILE 'HCAPLUS' ENTERED AT 16:25:49 ON 06 OCT 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Oct 2004 VOL 141 ISS 15 FILE LAST UPDATED: 5 Oct 2004 (20041005/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d all 11

```
ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN
     2001:763310 HCAPLUS
\mathbf{A}\mathbf{N}
DN
     135:300667
     Entered STN: 19 Oct 2001
     Homocysteine assay in a body fluid sample
     Connoly, Caroline; Brady, Jeff
IN
     Axis-Shield ASA, UK
PA
     PCT Int. Appl., 38 pp.
     CODEN: PIXXD2
DT
     Patent
LA
     English
IC
     ICM G01N033-48
CC
     9-2 (Biochemical Methods)
FA
```

AN.	CNT	1																	
	PATENT NO.					KIND		DATE			APPLICATION NO.								
PI	WO 2001077670						20011018		WO 2001-GB1615										
	WO	O 2001077670				A3		2002	0516										
		W:	ΑE,	AG,	AL,	AM,	AT,	AT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	ΒZ,	CA,	CH,	
			CN,	CO,	CR,	CU,	CZ,	CZ,	DE,	DE,	DK,	DK,	DM,	DZ,	EE,	EE,	ES,	FI,	
			FI,	GB,	GD,	GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KP,	
			KR,	ΚZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	
			MZ,	NO,	NZ,	PL,	PT,	RO,	RŪ,	SD,	SE,	SG,	SI,	SK,	SK,	SL,	ТJ,	TM,	
			TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VN,	YU,	ZA,	ZW,	AM,	ΑZ,	BY,	KG,	KZ,	
			MD,	RU,	TJ,	TM	•												
		RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	
			DE,	DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,	
			ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GW,	ΜL,	MR,	NE,	SN,	TD,	TG			
	ΕP	P 1272661			A2 20030108			EP 2001-919648						20010410					
		R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
			IE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR							
	JP 2003530574					T2 20031014				JP 2001-574876						20010410			

US 2002-857433

20020305 <--

US 2003040030

A1

20030227

```
PRAI GB 2000-8784
                         Α
                                20000410
     WO 2001-GB1615
                                20010410
                         W
CLASS
 PATENT NO.
                CLASS PATENT FAMILY CLASSIFICATION CODES
                _____
WO 2001077670 ICM
                       G01N033-48
     The present invention provides an improved method of assessing/quantifying
     the amount of homocysteine in a body fluid sample via an enzymic assay which
     comprises reducing background signal by treatment with one of the
     following: a reducing agent, a pyruvate deactivating agent, heat
     treatment, or by lyophilizing or immobilizing the homocysteine converting
st
     homocysteine assay body fluid
IT
     Reaction
        (Cycling; homocysteine assay in a body fluid sample)
IT
     Filters
        (Exclusion; homocysteine assay in a body fluid sample)
IT
     Enzymes, uses
     RL: ARG (Analytical reagent use); PEP (Physical, engineering or chemical
     process); ANST (Analytical study); PROC (Process); USES (Uses)
        (Homocysteine converting; homocysteine assay in a body fluid sample)
IT
     Thiols (organic), biological studies
     RL: BSU (Biological study, unclassified); BIOL (Biological study)
        (dithiols, binding agent; homocysteine assay in a body fluid sample)
IT
     Immobilization, biochemical
        (enzyme; homocysteine assay in a body fluid sample)
IT
     Blood
     Body fluid
     Centrifugation
     Concentration (condition)
     Cryoprotectants
     Erythrocyte
     Filters
     Filtration
     Freeze drying
     Heat treatment
     Heating
     Liquids
     Molecular sieves
     Neutralization
     Oxidation
     Reducing agents
     Stabilizing agents
     Standard substances, analytical
     Sulfhydryl group
     Test kits
        (homocysteine assay in a body fluid sample)
IT
     Enzymes, uses
     Reagents
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (homocysteine assay in a body fluid sample)
     Proteins, general, analysis
     RL: ARU (Analytical role, unclassified); NUU (Other use, unclassified);
     ANST (Analytical study); USES (Uses)
        (homocysteine assay in a body fluid sample)
     Thiols (organic), biological studies
     RL: BSU (Biological study, unclassified); RCT (Reactant); BIOL (Biological
     study); RACT (Reactant or reagent)
        (homocysteine assay in a body fluid sample)
     Enzymes, uses
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (immobilized; homocysteine assay in a body fluid sample)
IT
     Disulfides
     RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (organic; homocysteine assay in a body fluid sample)
IT
     6027-13-0, Homocysteine
     RL: ANT (Analyte); ANST (Analytical study)
        (homocysteine assay in a body fluid sample)
IT
     53-84-9, NAD 58-68-4, NADH 74-88-4, Methyl iodide, uses
     Hydrazine, uses
                      541-59-3, Maleimide
                                            3483-12-3, Dithiothreitol
     5961-85-3, Triscarboxyethylphosphine 6892-68-8, Dithioerythritol
     9001-05-2, Catalase 9001-60-9, Lactate dehydrogenase 9001-96-1,
     Pyruvate oxidase. 9014-19-1, Pyruvate carboxylase. 9014-20-4, Pyruvate
     dehydrogenase 9024-41-3, Homocysteine desulfurase 9025-03-0,
     Acetoacetate decarboxylase
```

```
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
        (homocysteine assay in a body fluid sample)
     7722-84-1, Hydrogen peroxide, reactions
     RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study);
     RACT (Reactant or reagent); USES (Uses)
        (homocysteine assay in a body fluid sample)
     462-10-2, Homocystine
     RL: ARU (Analytical role, unclassified); ANST (Analytical study)
        (homocysteine assay in a body fluid sample)
     127-17-3, Pyruvic acid, reactions
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (homocysteine assay in a body fluid sample)
=> b req
FILE 'REGISTRY' ENTERED AT 16:25:58 ON 06 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)
Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.
                           5 OCT 2004 HIGHEST RN 757166-57-7
STRUCTURE FILE UPDATES:
                           5 OCT 2004 HIGHEST RN 757166-57-7
DICTIONARY FILE UPDATES:
TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004
  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.
Crossover limits have been increased. See HELP CROSSOVER for details.
Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
http://www.cas.org/ONLINE/DBSS/registryss.html
=> d ide l3 tot
     ANSWER 1 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
L3
     9025-03-0 REGISTRY
     Decarboxylase, acetoacetate (9CI) (CA INDEX NAME)
OTHER NAMES:
CN
     Acetoacetate decarboxylase
CN
     Acetoacetic acid decarboxylase
CN
     E.C. 4.1.1.4
MF
     Unspecified
     MAN
CI
LC
     STN Files:
                  AGRICOLA, BIOBUSINESS, BIOSIS, CA, CAPLUS, CSCHEM, TOXCENTER,
       USPATFULL
DT.CA CAplus document type: Conference; Dissertation; Journal; Patent
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
       PROC (Process); PRP (Properties); USES (Uses)
       Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC
       (Process); PRP (Properties); USES (Uses); NORL (No role in record)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
              95 REFERENCES IN FILE CA (1907 TO DATE)
              95 REFERENCES IN FILE CAPLUS (1907 TO DATE)
     ANSWER 2 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
L3
     9024-41-3 REGISTRY
RN
     Desulfhydrase, homocysteine (9CI) (CA INDEX NAME)
OTHER NAMES:
     E.C. 4.4.1.2
CN
     Homocysteinase
     Homocysteine .alpha.,.gamma.-lyase
     Homocysteine desulfhydrase
CN
    Homocysteine desulfurase
MF
     Unspecified
CI
    STN Files: BIOSIS, CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL
LC
DT.CA CAplus document type: Journal; Patent
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
```

```
OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties);
       USES (Uses)
       Roles for non-specific derivatives from patents: ANST (Analytical
RLD.P
       study); BIOL (Biological study); USES (Uses)
       Roles from non-patents: ANST (Analytical study); BIOL (Biological
RL.NP
       study); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP
       (Properties); USES (Uses); NORL (No role in record)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
              31 REFERENCES IN FILE CA (1907 TO DATE)
               1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
              31 REFERENCES IN FILE CAPLUS (1907 TO DATE)
     ANSWER 3 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
     9014-20-4 REGISTRY
    Dehydrogenase, pyruvate (9CI) (CA INDEX NAME)
OTHER NAMES:
    E.C. 1.2.4.1
CN
     Pyruvate decarboxylase (EC 1.2.4.1)
CN
     Pyruvate dehydrogenase
CN
     Pyruvate dehydrogenase complex
CN
     Pyruvic acid dehydrogenase
CN
CN
     Pyruvic dehydrogenase
MF
     Unspecified
CI
     MAN
                 ADISNEWS, AGRICOLA, ANABSTR, BIOBUSINESS, BIOSIS, BIOTECHNO,
LC
     STN Files:
       CA, CABA, CAPLUS, CEN, CHEMCATS, CIN, EMBASE, PROMT, TOXCENTER, USPAT2,
       USPATFULL
DT.CA CAplus document type: Conference; Dissertation; Journal; Patent; Report
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
       MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC
       (Process); PRP (Properties); USES (Uses)
RLD.P Roles for non-specific derivatives from patents: ANST (Analytical
       study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP
       (Properties); USES (Uses)
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
       (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
       (Reactant or reagent); USES (Uses); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
       study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU
       (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); USES
       (Uses)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
            3840 REFERENCES IN FILE CA (1907 TO DATE)
              41 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
            3843 REFERENCES IN FILE CAPLUS (1907 TO DATE)
     ANSWER 4 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
     9014-19-1 REGISTRY
     Carboxylase, pyruvate (9CI) (CA INDEX NAME)
CN
OTHER NAMES:
    E.C. 6.4.1.1
CN
     Non-acetylating pyruvate carboxylase
CN
CN
     Pyruvate carboxylase
     Pyruvic carboxylase
CN
MF
     Unspecified
CI
     STN Files: ADISNEWS, AGRICOLA, ANABSTR, BIOBUSINESS, BIOSIS, BIOTECHNO,
LC
       CA, CABA, CAPLUS, CHEMCATS, CIN, EMBASE, NIOSHTIC, PROMT, TOXCENTER,
       USPAT2, USPATFULL
DT.CA CAplus document type: Conference; Dissertation; Journal; Patent; Report
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
       OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties);
       RACT (Reactant or reagent); USES (Uses)
       Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
       (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
        (Reactant or reagent); USES (Uses); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analyt
```

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

1652 REFERENCES IN FILE CA (1907 TO DATE)

(Occurrence); PROC (Process)

study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU

6 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA 1652 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- ANSWER 5 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN L3RN9001-96-1 REGISTRY Oxidase, pyruvate (9CI) (CA INDEX NAME) OTHER NAMES: 2-Oxopropanoic acid oxidase CN CN E.C. 1.2.3.3 Pyruvate oxidase CN Pyruvic acid oxidase CNPyruvic oxidase CNUnspecified MFCISTN Files: AGRICOLA, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CAPLUS, LC CHEMCATS, CHEMLIST, CIN, CSCHEM, EMBASE, MEDLINE, PROMT, TOXCENTER, USPAT2, USPATFULL Other Sources: EINECS** (**Enter CHEMLIST File for up-to-date regulatory information) DT.CA CAplus document type: Conference; Dissertation; Journal; Patent; Report Roles from patents: ANST (Analytical study); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses) RLD.P Roles for non-specific derivatives from patents: ANST (Analytical study); BIOL (Biological study); PROC (Process); USES (Uses) Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record) RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); PROC (Process); USES (Uses) *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** 805 REFERENCES IN FILE CA (1907 TO DATE) 13 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA 806 REFERENCES IN FILE CAPLUS (1907 TO DATE) ANSWER 6 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN L3 9001-60-9 REGISTRY RN Dehydrogenase, lactate (9CI) (CA INDEX NAME) CN OTHER NAMES: (S)-Lactate dehydrogenase CN CN E.C. 1.1.1.27 CN L-Lactate dehydrogenase L-Lactic acid dehydrogenase CN CN L-Lactic dehydrogenase CNLactate dehydrogenase Lactate dehydrogenase NAD-dependent CNCNLactic acid dehydrogenase CN Lactic dehydrogenase CN NAD-lactate dehydrogenase NADH-dependent lactate dehydrogenase CN Proteins, anoxic stress response, p34 CN DR 9013-91-6 MF Unspecified CI MAN STN Files: ADISNEWS, AGRICOLA, ANABSTR, BIOBUSINESS, BIOSIS, BIOTECHNO, LC CA, CABA, CAPLUS, CASREACT, CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, CSNB, DDFU, DRUGU, EMBASE, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NIOSHTIC, PROMT, TOXCENTER, USPAT2, USPATFULL (*File contains numerically searchable property data) Other Sources: EINECS**, TSCA** (**Enter CHEMLIST File for up-to-date regulatory information) DT.CA CAplus document type: Book; Conference; Dissertation; Journal; Patent;
- Roles from patents: ANST (Analytical study); BIOL (Biological study); RL.P CMBI (Combinatorial study); FORM (Formation, nonpreparative); OCCU
- (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record) RLD.P Roles for non-specific derivatives from patents: ANST (Analytical
- study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); USES (Uses)
- RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)

RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical

```
study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU
       (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
       (Reactant or reagent); USES (Uses)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
           28313 REFERENCES IN FILE CA (1907 TO DATE)
             204 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
           28342 REFERENCES IN FILE CAPLUS (1907 TO DATE)
     ANSWER 7 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
L3
     9001-05-2 REGISTRY
RN
     Catalase (9CI) (CA INDEX NAME)
CN
OTHER NAMES:
     ASC Super
CN
     ASC Super 25
CN
     Caperase
CN
     Catazyme 50L
CN
     E.C. 1.11.1.6
CN
CN
     Equilase
     Fermcolase
CN
     Fermcolase 1000
CN
CN
     HR 200S
     Microcatalase
CN
CN
     Optidase
CN
     Reyonet F 35
CN
     T 100
CN
     T 100 (enzyme)
     Terminox 50L
CN
     Terminox Ultra
CN
     Terminox Ultra 10L
CN
     Unspecified
MF
CI
     COM, MAN
                   ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BIOBUSINESS,
       BIOSIS, BIOTECHNO, CA, CABA, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, DDFU, DRUGU, EMBASE, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NAPRALERT, NIOSHTIC,
       PHAR, PIRA, PROMT, RTECS*, TOXCENTER, ULIDAT, USPAT2, USPATFULL
          (*File contains numerically searchable property data)
     Other Sources: EINECS**, TSCA**
          (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Book; Conference; Dissertation; Journal; Patent;
        Preprint; Report
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
RL.P
        FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
        (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
        (Reactant or reagent); USES (Uses); NORL (No role in record)
       Roles for non-specific derivatives from patents: ANST (Analytical
        study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP
        (Properties); RACT (Reactant or reagent); USES (Uses)
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological
        study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
        (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
        (Reactant or reagent); USES (Uses); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
        study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU
        (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
        (Reactant or reagent); USES (Uses)
 *** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
            27315 REFERENCES IN FILE CA (1907 TO DATE)
              325 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
            27368 REFERENCES IN FILE CAPLUS (1907 TO DATE)
      ANSWER 8 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
      7722-84-1 REGISTRY
RN
     Hydrogen peroxide (H2O2) (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
    Hydrogen peroxide (8CI)
 OTHER NAMES:
 CN
      Adeka Super EL
 CN
     Albone
      Albone 35
 CN
      Albone DS
 CN
      Anti-Keim 50
CN
```

CN

Asepticper

```
Baquashock
CN
CN
     CIX
CN
     Crestal Whitestrips
     Crystacide
CN
     Dentasept
CN
CN
    Hioxyl
CN
     Hipox
CN
    Hybrite
CN
     Hydrogen dioxide
CN
     Inhibine
CN
     Lensan A
    Metrokur
CN
    Mirasept
CN
     NSC 19892
CN
     Odosat D
CN
CN
     Oxigenal
CN
     Oxydol
CN
     Oxyfull
CN
     Oxysept
CN
     Oxysept I
CN
     Pegasyl
     Perhydrol
CN
CN
     Perone
CN
     Peroxaan
ÇΝ
     Peroxclean
     Select Bleach
CN
CN
     Superoxol
    T-Stuff
CN
CN
    Xtra White
     3D CONCORD
DR
     8007-30-5, 66554-50-5, 37355-84-3, 218625-72-0
MF
    H2 O2
CI
     COM
                  ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BIOBUSINESS, BIOSIS,
      BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN,
       CHEMCATS, CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN, CSCHEM, CSNB, DDFU,
       DETHERM*, DIOGENES, DIPPR*, DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2,
       ENCOMPPAT, ENCOMPPAT2, GMELIN*, HSDB*, IFICDB, IFIPAT, IFIUDB, IPA,
       MEDLINE, MRCK*, MSDS-OHS, NIOSHTIC, PDLCOM*, PIRA, PROMT, PS, RTECS*,
       TOXCENTER, TULSA, ULIDAT, USAN, USPAT2, USPATFULL, VETU, VTB
         (*File contains numerically searchable property data)
     Other Sources: DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Book; Conference; Dissertation; Journal; Patent;
       Preprint; Report
RL.P
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
       CMBI (Combinatorial study); FORM (Formation, nonpreparative); MSC
       (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process);
       PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role
       in record)
      Roles for non-specific derivatives from patents: ANST (Analytical
       study); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation);
       PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES
      Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); CMBI (Combinatorial study); FORM (Formation, nonpreparative);
       MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC
       (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses);
       NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
       study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC
       (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process);
       PRP (Properties); RACT (Reactant or reagent); USES (Uses)
```

но-он

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

83125 REFERENCES IN FILE CA (1907 TO DATE)
655 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
83277 REFERENCES IN FILE CAPLUS (1907 TO DATE)
2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

```
ANSWER 9 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
    6892-68-8 REGISTRY
RN
    2,3-Butanediol, 1,4-dimercapto-, (2R,3S)-rel- (9CI) (CA INDEX NAME)
CN
OTHER CA INDEX NAMES:
    2,3-Butanediol, 1,4-dimercapto-, (R*,S*)-
    Erythritol, 1,4-dithio- (8CI)
OTHER NAMES:
    1,4-Dithioerythritol
CN
    Dithioerythritol
CN
     erythro-1,4,-Dimercapto-2,3-butanediol
CN
     STEREOSEARCH
FS
     C4 H10 O2 S2
MF
CI
     COM
    STN Files: AGRICOLA, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA,
LC
       CANCERLIT, CAPLUS, CASREACT, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN,
       CSCHEM, DDFU, DRUGU, EMBASE, GMELIN*, IFICDB, IFIPAT, IFIUDB, IPA,
       MEDLINE, MSDS-OHS, NIOSHTIC, PROMT, RTECS*, SPECINFO, TOXCENTER, USPAT2,
       USPATFULL
         (*File contains numerically searchable property data)
     Other Sources: DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Conference; Dissertation; Journal; Patent; Report
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
       PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
       reagent); USES (Uses)
       Roles for non-specific derivatives from patents: ANST (Analytical
RLD.P
       study); BIOL (Biological study); PREP (Preparation); RACT (Reactant or
       reagent); USES (Uses)
       Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); PREP (Preparation); PROC (Process); PRP (Properties); RACT
       (Reactant or reagent); USES (Uses); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: PREP
       (Preparation); PROC (Process); PRP (Properties); USES (Uses)
Relative stereochemistry.
```

Other Sources:

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

616 REFERENCES IN FILE CA (1907 TO DATE)

```
616 REFERENCES IN FILE CAPLUS (1907 TO DATE)
     ANSWER 10 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
     6027-13-0 REGISTRY
                           (CA INDEX NAME)
    L-Homocysteine (9CI)
OTHER CA INDEX NAMES:
    Butyric acid, 2-amino-4-mercapto-, L- (8CI)
OTHER NAMES:
     (S)-2-Amino-4-mercaptobutanoic acid
CN
     (S)-Homocysteine
CN
     2-Amino-4-mercapto-L-butyric acid
CN
     2-Amino-4-mercaptobutyric acid
CN
     Butanoic acid, 2-amino-4-mercapto-, (S)-
CN
CN
     Homocysteine
     NSC 43117
CN
FS
     STEREOSEARCH
     454-28-4, 1867-00-1
DR
     C4 H9 N O2 S
MF
CI
                  ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS,
LC
     STN Files:
       BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS,
                                                      CASREACT,
       CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, DDFU, DIOGENES, DRUGU,
       EMBASE, GMELIN*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, PIRA,
       PROMT, RTECS*, TOXCENTER, USPAT2, USPATFULL
```

(*File contains numerically searchable property data)

17 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

(**Enter CHEMLIST File for up-to-date regulatory information)

DT.CA CAplus document type: Book; Conference; Dissertation; Journal; Patent; Report

Roles from patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)

Roles for non-specific derivatives from patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)

RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

5016 REFERENCES IN FILE CA (1907 TO DATE) 83 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA 5036 REFERENCES IN FILE CAPLUS (1907 TO DATE)

ANSWER 11 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN

5961-85-3 REGISTRY RN

Propanoic acid, 3,3',3''-phosphinidynetris- (9CI) (CA INDEX NAME) CN

OTHER CA INDEX NAMES:

Propionic acid, 3,3',3''-phosphinidynetri- (7CI, 8CI)

3,3',3''-Phosphinidynetripropionic acid

CN 3,3',3''-Phosphinidynetris[propanoic acid]

Phosphine, tris(2-carboxyethyl)-CN

CN

Tris(2-carboxyethyl)phosphine CN

CN Tris(carboxyethyl)phosphine

3D CONCORD

C9 H15 O6 P MF

CI COM

STN Files: ANABSTR, BEILSTEIN*, BIOSIS, CA, CANCERLIT, CAOLD, CAPLUS, LC CASREACT, MEDLINE, MRCK*, TOXCENTER, USPAT2, USPATFULL (*File contains numerically searchable property data)

DT.CA CAplus document type: Conference; Journal; Patent

Roles from patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PROC (Process); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)

Roles for non-specific derivatives from patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

Roles from non-patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)

RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological study); PREP (Preparation); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

130 REFERENCES IN FILE CA (1907 TO DATE)

```
7 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
132 REFERENCES IN FILE CAPLUS (1907 TO DATE)
  2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
```

ANSWER 12 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN L3 3483-12-3 REGISTRY 2,3-Butanediol, 1,4-dimercapto-, (2R,3R)-rel- (9CI) (CA INDEX NAME) OTHER CA INDEX NAMES: 2,3-Butanediol, 1,4-dimercapto-, (R*,R*)-Threitol, 1,4-dithio- (7CI, 8CI) OTHER NAMES: (.+-.)-1,4-Dimercapto-2,3-butanediol CN (.+-.)-Dithiothreitol CN CN 1,4-Dithio-DL-threitol 1,4-Dithiothreitol CN CN Cleland's reagent CN Dithiothreitol CN DL-1,4-Dimercapto-2,3-dihydroxybutane CN DL-1,4-Dithiothreitol CN DL-Dithiothreitol DTT CN CN DTT (threitol derivative) CN rac-Dithiothreitol CN Reagents, Cleland's

CN

Sputolysin threo-1,4-Dimercapto-2,3-butanediol CN

threo-2,3-Dihydroxy-1,4-butanedithiol CN

CNWR 34678

STEREOSEARCH FS

27565-41-9, 28823-08-7, 214119-27-4

MF C4 H10 O2 S2

CI COM

ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*, BIOBUSINESS, LC STN Files: BIOSIS, BIOTECHNO, CA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, CSNB, DDFU, DRUGU, EMBASE, GMELIN*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NIOSHTIC, PIRA, PROMT, RTECS*, SPECINFO, TOXCENTER, USPAT2, USPATFULL (*File contains numerically searchable property data) Other Sources: DSL**, EINECS**, TSCA**

(**Enter CHEMLIST File for up-to-date regulatory information) DT.CA CAplus document type: Conference; Dissertation; Journal; Patent;

Preprint; Report

Roles from patents: ANST (Analytical study); BIOL (Biological study); RL.P MSC (Miscellaneous); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RLD.P Roles for non-specific derivatives from patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)

RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

Relative stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

4736 REFERENCES IN FILE CA (1907 TO DATE) 77 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA 4746 REFERENCES IN FILE CAPLUS (1907 TO DATE) 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

ANSWER 13 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN L3

```
Gitomer 09/857433 Applicant
     541-59-3 REGISTRY
CN
    1H-Pyrrole-2,5-dione (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
    Maleimide (6CI, 8CI)
OTHER NAMES:
    3-Pyrroline-2,5-dione
    Maleic imide
CN
    NSC 13684
CN
CN
     Pyrrole-2,5-dione
     3D CONCORD
MF
     C4 H3 N O2
CI
     COM
                AGRICOLA, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA,
LC
     STN Files:
       CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMINFORMRX,
       CHEMLIST, CIN, CSCHEM, DETHERM*, EMBASE, ENCOMPLIT, ENCOMPLIT2,
       ENCOMPPAT, ENCOMPPAT2, GMELIN*, HODOC*, IFICDB, IFIPAT, IFIUDB, IPA,
       MEDLINE, MSDS-OHS, NIOSHTIC, PIRA, PROMT, RTECS*, SPECINFO, SYNTHLINE,
       TOXCENTER, USPATZ, USPATFULL
         (*File contains numerically searchable property data)
     Other Sources: DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Conference; Dissertation; Journal; Patent; Report
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
       MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC
       (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses);
       NORL (No role in record)
       Roles for non-specific derivatives from patents: ANST (Analytical
       study); BIOL (Biological study); MSC (Miscellaneous); PREP
       (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
       reagent); USES (Uses)
       Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); CMBI (Combinatorial study); FORM (Formation, nonpreparative);
       OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties);
       RACT (Reactant or reagent); USES (Uses); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
       study); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation);
       PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES
       (Uses)
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
            1943 REFERENCES IN FILE CA (1907 TO DATE)
             685 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
```

```
1951 REFERENCES IN FILE CAPLUS (1907 TO DATE)
              33 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
L3
     ANSWER 14 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
     462-10-2 REGISTRY
RN
    Butanoic acid, 4,4'-dithiobis[2-amino- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
    Butyric acid, 4,4'-dithiobis[2-amino-(8CI)
OTHER NAMES:
CN
     (RS)-Homocystine
CN
     4,4'-Dithiobis[2-aminobutyric acid]
CN
    Homocystine
    NSC 11337
CN
    NSC 43122
CN
     3D CONCORD
     1866-61-1
MF
     C8 H16 N2 O4 S2
CI
     COM
LC
     STN Files:
                  AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS,
       BIOTECHNO, CA, CANCERLIT, CAOLD, CAPLUS, CASREACT,
                                                          CHEMCATS.
       CHEMINFORMRX, CHEMLIST, CIN, DDFU, DRUGU, EMBASE, IPA, MEDLINE, MRCK*,
       NIOSHTIC, PROMT, TOXCENTER, USPAT2, USPATFULL
         (*File contains numerically searchable property data)
     Other Sources: EINECS**
         (**Enter CHEMLIST File for up-to-date regulatory information)
```

```
DT.CA CAplus document type: Conference; Dissertation; Journal; Patent
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
RL.P
       OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties);
       RACT (Reactant or reagent); USES (Uses)
RLD.P Roles for non-specific derivatives from patents: PREP (Preparation);
       RACT (Reactant or reagent)
      Roles from non-patents: ANST (Analytical study); BIOL (Biological
RL.NP
       study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP
       (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
       reagent); USES (Uses); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
       study); BIOL (Biological study)
      NH_2
                                  NH_2
HO_2C-CH-CH_2-CH_2-S-S-CH_2-CH_2-CH-CO_2H
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
             644 REFERENCES IN FILE CA (1907 TO DATE)
               4 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
             644 REFERENCES IN FILE CAPLUS (1907 TO DATE)
              13 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
     ANSWER 15 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
L3
     302-01-2 REGISTRY
RN
     Hydrazine (7CI, 8CI, 9CI) (CA INDEX NAME)
CN
OTHER NAMES:
CN
     Levoxine
CN
     Nitrogen hydride (N2H4)
     Oxytreat 35
CN
FS
     3D CONCORD
DR
     119775-10-9, 75013-58-0, 31886-26-7
MF
     H4 N2
CI
     COM
     STN Files: ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BIOBUSINESS, BIOSIS,
LC
       BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN,
       CHEMCATS, CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN, CSCHEM, CSNB, DDFU,
       DETHERM*, DIPPR*, DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPPAT,
       ENCOMPPAT2, GMELIN*, HODOC*, HSDB*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NIOSHTIC, PDLCOM*, PIRA, PROMT, PS, RTECS*,
       SPECINFO, SYNTHLINE, TOXCENTER, TULSA, ULIDAT, USPAT2, USPATFULL, VTB
         (*File contains numerically searchable property data)
     Other Sources: DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Book; Conference; Dissertation; Journal; Patent;
       Preprint; Report
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
RL.P
       FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
       (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
       (Reactant or reagent); USES (Uses); NORL (No role in record)
      Roles for non-specific derivatives from patents: ANST (Analytical
       study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU
       (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
       (Reactant or reagent); USES (Uses)
      Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); CMBI (Combinatorial study); FORM (Formation, nonpreparative);
       MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC
       (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses);
       NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
       study); BIOL (Biological study); CMBI (Combinatorial study); FORM
       (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence);
       PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
```

 H_2N-NH_2

reagent); USES (Uses)

^{**}PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**

21331 REFERENCES IN FILE CA (1907 TO DATE)

1454 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

```
21356 REFERENCES IN FILE CAPLUS (1907 TO DATE)
               3 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
    ANSWER 16 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
L3
RN
    127-17-3 REGISTRY
CN
    Propanoic acid, 2-oxo- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
    Pyruvic acid (8CI)
OTHER NAMES:
CN
     .alpha.-Ketopropionic acid
CN
     2-Oxopropanoic acid
     2-Oxopropionic acid
    Acetylformic acid
CN
CN
    BTS
CN
    NSC 179
CN
     Pyroracemic acid
     3D CONCORD
FS
DR
    1892-67-7
MF
     C3 H4 O3
CI
     COM
     STN Files: ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*, BIOBUSINESS,
LC
       BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB,
       CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, CSNB, DDFU,
       DETHERM*, DIPPR*, DRUGU, EMBASE, GMELIN*, HODOC*, IFICDB, IFIPAT
       IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NAPRALERT, NIOSHTIC, PDLCOM*,
       PIRA, PROMT, PS, RTECS*, SPECINFO, SYNTHLINE, TOXCENTER, TULSA, USPAT2,
       USPATFULL, VETU, VTB
         (*File contains numerically searchable property data)
                     DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Book; Conference; Dissertation; Journal; Patent;
       Report
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
RL.P
       CMBI (Combinatorial study); FORM (Formation, nonpreparative); MSC
       (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process);
       PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role
       in record)
RLD.P Roles for non-specific derivatives from patents: ANST (Analytical
       study); BIOL (Biological study); CMBI (Combinatorial study); FORM
       (Formation, nonpreparative); PREP (Preparation); PROC (Process); PRP
       (Properties); RACT (Reactant or reagent); USES (Uses)
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
       (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
       (Reactant or reagent); USES (Uses); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
       study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC
       (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process);
       PRP (Properties); RACT (Reactant or reagent); USES (Uses)
   0
Me-C-CO2H
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
           22323 REFERENCES IN FILE CA (1907 TO DATE)
             283 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
           22347 REFERENCES IN FILE CAPLUS (1907 TO DATE)
               9 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
     ANSWER 17 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
     74-88-4 REGISTRY
RN
CN
    Methane, iodo- (8CI, 9CI) (CA INDEX NAME)
OTHER NAMES:
     Iodomethane
CN
     Methyl iodide
CN
     Methyl iodide (CH3I)
CN
CN
     Monoiodomethane
CN
     NSC 9366
FS
     3D CONCORD
```

```
147937-07-3
DR
     C H3 I
MF
     COM
CI
     STN Files:
                  AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS,
       BIOTECHNO, CA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS,
       CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN, CSCHEM, CSNB, DETHERM*, DIPPR*,
       EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPPAT, ENCOMPPAT2, GMELIN*, HODOC*,
       HSDB*, IFICDB, IFIPAT, IFIUDB, MEDLINE, MRCK*, MSDS-OHS, NAPRALERT,
       NIOSHTIC, PDLCOM*, PIRA, PROMT, PS, RTECS*, SPECINFO, TOXCENTER, TULSA,
       ULIDAT, USPATZ, USPATFULL, VTB
         (*File contains numerically searchable property data)
     Other Sources: DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Book; Conference; Dissertation; Journal; Patent;
       Preprint; Report
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
RL.P
       CMBI (Combinatorial study); FORM (Formation, nonpreparative); MSC
       (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process);
       PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role
       in record)
      Roles for non-specific derivatives from patents: ANST (Analytical
RLD.P
       study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP
       (Properties); RACT (Reactant or reagent); USES (Uses)
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); CMBI (Combinatorial study); FORM (Formation, nonpreparative);
       MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC
       (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses);
       NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
       study); BIOL (Biological study); FORM (Formation, nonpreparative); PREP
       (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
       reagent); USES (Uses)
H_3C-I
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
           18052 REFERENCES IN FILE CA (1907 TO DATE)
             293 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
           18077 REFERENCES IN FILE CAPLUS (1907 TO DATE)
              13 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
     ANSWER 18 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN
L3
RN
     58-68-4 REGISTRY
     Adenosine 5'-(trihydrogen diphosphate), P'.fwdarw.5'-ester with
     1,4-dihydro-1-.beta.-D-ribofuranosyl-3-pyridinecarboxamide (9CI)
     INDEX NAME)
OTHER CA INDEX NAMES:
     Adenosine 5'-(trihydrogen pyrophosphate), 5'.fwdarw.5'-ester with
     1,4-dihydro-1-.beta.-D-ribofuranosylnicotinamide (8CI)
     Adenosine pyrophosphate, 5'.fwdarw.5'-ester with 1,4-dihydro-1-.beta.-D-
     ribofuranosylnicotinamide (7CI)
OTHER NAMES:
     .beta.-DPNH
     .beta.-NADH
CN
     1,4-Dihydronicotinamide adenine dinucleotide
CN
     Codehydrase I, reduced
CN
     Codehydrogenase I, reduced
CN
     Coenzyme I, reduced
CN
     Cozymase I, reduced
CN
CN
     Dihydrocodehydrogenase I
     Dihydrocozymase
CN
     Dihydronicotinamide adenine dinucleotide
CN
     Dihydronicotinamide mononucleotide
CN
     DPNH
CN
     NADH
CN
CN
     NADH2
CN
     Nicotinamide-adenine dinucleotide, reduced
     Reduced codehydrogenase I
CN
     Reduced diphosphopyridine nucleotide
CN
     Reduced nicotinamide adenine diphosphate
CN
     Reduced nicotinamide-adenine dinucleotide
CN
```

STEREOSEARCH

FS

DR 443892-10-2

MF C21 H29 N7 O14 P2

CI CON

LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CAOLD, CAPLUS, CASREACT, CEN, CHEMCATS, CHEMLIST, CIN, CSCHEM, DDFU, DRUGU, EMBASE, GMELIN*, IFICDB, IFIPAT, IFIUDB, MRCK*, NIOSHTIC, PROMT, TOXCENTER, USPAT2, USPATFULL (*File contains numerically searchable property data)

Other Sources: DSL**, EINECS**, TSCA**

(**Enter CHEMLIST File for up-to-date regulatory information)

DT.CA Caplus document type: Book; Conference; Dissertation; Journal; Patent;

RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study);
FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
(Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT
(Reactant or reagent); USES (Uses)

RLD.P Roles for non-specific derivatives from patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)

RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

Absolute stereochemistry.

PAGE 1-B

__NH2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

12957 REFERENCES IN FILE CA (1907 TO DATE)
245 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
12968 REFERENCES IN FILE CAPLUS (1907 TO DATE)
1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L3 ANSWER 19 OF 19 REGISTRY COPYRIGHT 2004 ACS on STN

RN 53-84-9 REGISTRY

CN Adenosine 5'-(trihydrogen diphosphate), P'.fwdarw.5'-ester with 3-(aminocarbonyl)-1-.beta.-D-ribofuranosylpyridinium, inner salt (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Adenosine 5'-(trihydrogen diphosphate), P'.fwdarw.5'-ester with 3-(aminocarbonyl)-1-.beta.-D-ribofuranosylpyridinium hydroxide, inner salt

CN Pyridinium, 3-carbamoyl-1-.beta.-D-ribofuranosyl-, hydroxide, 5'.fwdarw.5'-ester with adenosine 5'-(trihydrogen pyrophosphate), inner salt (8CI)

OTHER NAMES:

CN .beta.-Diphosphopyridine nucleotide

CN .beta.-NAD

```
.beta.-NAD+
CN
     .beta.-Nicotinamide adenine dinucleotide
CN
     Adenine-nicotinamide dinucleotide
CN
CN
     Codehydrase I
CN
     Codehydrogenase I
CN
     Coenzyme I
CN
     Cozymase I
CN
     Diphosphopyridine nucleotide
CN
CN
     DPN
CN
     Enzopride
CN
     NAD
CN
     NAD+
     Nadide
CN
     Nicotinamide-adenine dinucleotide
CN
CN
     Oxidized diphosphopyridine nucleotide
CN
     STEREOSEARCH
FS
     30429-30-2, 159929-29-0
DR
     C21 H27 N7 O14 P2
MF
CI
                  ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS,
LC
     STN Files:
       BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN,
       CHEMCATS, CHEMLIST, CIN, CSCHEM, DDFU, DIOGENES, DRUGU, EMBASE, IFICDB,
       IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NAPRALERT, NIOSHTIC,
       PIRA, PROMT, RTECS*, TOXCENTER, USAN, USPAT2, USPATFULL
         (*File contains numerically searchable property data)
     Other Sources: DSL**, EINECS**, TSCA**, WHO
         (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Book; Conference; Dissertation; Journal; Patent;
       Roles from patents: ANST (Analytical study); BIOL (Biological study);
RL.P
       FORM (Formation, nonpreparative); OCCU (Occurrence); PREP (Preparation);
       PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES
       (Uses); NORL (No role in record)
       Roles for non-specific derivatives from patents: ANST (Analytical
       study); BIOL (Biological study); FORM (Formation, nonpreparative); PREP
       (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
       reagent); USES (Uses)
       Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
```

PRP (Properties); RACT (Reactant or reagent); USES (Uses)
Absolute stereochemistry.

13906 REFERENCES IN FILE CA (1907 TO DATE)
506 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
13914 REFERENCES IN FILE CAPLUS (1907 TO DATE)
129 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

(Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT

study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process);

(Reactant or reagent); USES (Uses); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical

=> b wpix

FILE 'WPIX' ENTERED AT 16:26:13 ON 06 OCT 2004 COPYRIGHT (C) 2004 THE THOMSON CORPORATION

FILE LAST UPDATED: 1 OCT 2004 <20041001/UP>
MOST RECENT DERWENT UPDATE: 200463 <200463/DW>
DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE

```
>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE,
    PLEASE VISIT:
http://www.stn-international.de/training_center/patents/stn_guide.pdf <<<
>>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES, SEE
   http://thomsonderwent.com/coverage/latestupdates/
                                                                <<<
>>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER
   GUIDES, PLEASE VISIT:
   http://thomsonderwent.com/support/userguides/
                                                                <<<
>>> NEW! FAST-ALERTING ACCESS TO NEWLY-PUBLISHED PATENT
    DOCUMENTATION NOW AVAILABLE IN DERWENT WORLD PATENTS INDEX
    FIRST VIEW - FILE WPIFV.
    FOR FURTHER DETAILS: http://www.thomsonderwent.com/dwpifv <<<
>>> NEW DISPLAY FORMAT HITSTR ADDED ALLOWING DISPLAY OF
    HIT STRUCTURES WITHIN THE BIBLIOGRAPHIC DOCUMENT <><
=> d all 14 tot
     ANSWER 1 OF 1 WPIX COPYRIGHT 2004 THE THOMSON CORP on STN
L4
     2001-657186 [75]
                       WPIX
AN
                        DNC C2001-193400
DNN N2001-489848
     Assay for determining the homocysteine levels in patients involves
     contacting a sample with an agent, which binds, oxidizes or depotentiates-
     a reducing agent after being contacted with homocysteine desulfurase.
DC
     B04 B05 S03
IN
     BRADY, J; CONNOLY, C; CONNELLY, C
     (AXIS-N) AXIS SHIELD PLC; (BRAD-I) BRADY J; (CONN-I) CONNELLY C
PA
CYC
     WO 2001077670 A2 20011018 (200175)* EN
                                               38
                                                      G01N033-48
PΙ
        RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ
            NL OA PT SD SE SL SZ TR TZ UG ZW
         W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK
            DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ
            LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD
            SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
     AU 2001046709 A 20011023 (200213)
                                                      G01N033-48
                    A2 20030108 (200311) EN
                                                      C120001-527
     EP 1272661
         R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
            RO SE SI TR
                                                      C12Q001-26
     US 2003040030 A1 20030227 (200318)
     JP 2003530574 W 20031014 (200368)
                                                      G01N033-68
                                                43
ADT WO 2001077670 A2 WO 2001-GB1615 20010410; AU 2001046709 A AU 2001-46709
     20010410; EP 1272661 A2 EP 2001-919648 20010410, WO 2001-GB1615 20010410;
     US 2003040030 A1 WO 2001-GB1615 20010410, US 2002-857433 20020305; JP
     2003530574 W JP 2001-574876 20010410, WO 2001-GB1615 20010410
FDT AU 2001046709 A Based on WO 2001077670; EP 1272661 A2 Based on WO
     2001077670; JP 2003530574 W Based on WO 2001077670
                          20000410
PRAI GB 2000-8784
     ICM C12Q001-26; C12Q001-527; G01N033-48; G01N033-68
     ICS G01N021-78
     WO 200177670 A UPAB: 20011220
     NOVELTY - An assay for homocysteine involves contacting a biological fluid
     sample (1) with a reducing agent (2) and subsequently with homocysteine
     desulfurase (3). The sample is contacted with an agent (4) which binds,
     oxidizes or depotentiates (2) after being contacted with (3).
          DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a
     kit for a homocysteine assay comprising
          (1) homocysteine desulfurase (3) preferably (i) in lyophilized form;
     the lyophilisate being substantially free of thiol-containing
     cryo/lyoprotectants or (ii) in aqueous liquid form further containing a
     dithiol reducing agent (e.g. DTT (dithiothreitol), DTE (dithioerythrol),
     or TCEP (triscarboxyethylphosphine)) and a proteinaceous or
     non-proteinaceous stabilizer);
           (2) a homocyst(e)ine standard (preferably several standards
     containing homocysteine (Hcy) or homocystine at several concentrations);
           (3) reducing agent (2) (e.g. DTT, dithioerythiol, TCEP or methyl
      iodide); and
          (4) an agent (4) which binds, oxidizes or depotentiates (2) e.g. an
     organic disulfide or a dithiol binding agent (preferably maleimide);
          optionally at least one further reagent capable of converting the
     homocysteine conversion product of (3) into a detectable analyte;
```

preferably a pyruvate deactivating agent e.g. hydrazine, acetoacetate

decarboxylase, pyruvate carboxylase, hydrogen peroxide or pyruvate dehydrogenase; optionally a filter for removing pyruvate i.e. a molecular sieve; or capable of removing red blood cells from blood.

USE - For determining homocysteine levels in patients correlated to risk of cardiovascular disease e.g. coronary heart disease, coronary artery disease, cerebrovascular disease, or peripherial vascular disorders.

Human blood was collected into vacutainer tubes containing citrate. Plasma was separated from the cells upon centrifugation at 1000 g for 10 minutes at 2 - 8 deg. C. Sample (10 micro 1) was mixed with 0.47% hydrogen peroxide (10 micro 1) and incubated at room temperature for 3 minutes. Enzyme reagent 1 (containing homocysteine desulfurase (0.02 U/ml), lactate dehydrogenase (20.8 micro g/ml), nicotinamide adenine dinucleotide (NADH) (50 micro M), cryo/lyoprotectant (trehalose, gelatine, maltose, dextran, mannitol, tween 20 or caseine) (0.8 wt, %), phosphate buffer (pH 8) (0.1 M), catalase (300 U/ml)) (25 micro 1) was added and incubated for 30 minutes at 37 deg. C. 10 micro l of the same sample was mixed with 0.47% hydrogen peroxide and incubated at room temperature for 3 minutes. Blank reagent 1 was added and incubated for 30 minutes at 37 deg. C. Following this incubation reagent 2 was added to each and after mixing they were incubated for further 3 minutes at room temperature. Reagent 2 contained the DTT (dithiothreitol) binding agent and the acid destroyed the excess NADH. A reagent 3 was added and incubated at 37 deg. C for 15 minutes. The reaction was stopped by the addition of 6M HCl (15 micro 1) and the sample was read at 550 nm. The reading obtained for the sample treated with blank reagent 1 was subtracted from the reading for the sample treated with enzyme reagent 1. The pretreatment of samples with hydrogen peroxide and the absence of catalase in reagent 1 for one set of samples were used as control.

The samples were assayed in the presence and absence of H2O2/catalase. The reduction in background had improved the precision of the assay by decreasing the % CV (coefficient or variance). The results demonstrated that the background was reduced when samples were assayed in the presence of hydrogen peroxide and catalase.

ADVANTAGE - The assay reduces the background levels, i.e. the signal generated by performance of the assay in the absence of the homocysteine conversion enzyme. The improved assay determines the homocysteine levels in patients.

Dwg.0/3 CPI EPI

FS CPI EPI FA AB; DCN

MC CPI: B04-L01; B05-C08; B10-B02D; B11-C08E3; B12-K04A2

EPI: S03-E14H

=> b home FILE 'HOME' ENTERED AT 16:26:19 ON 06 OCT 2004